

Product Data Sheet

Anti-RRN3 (Phospho-S649) Antibody

Catalog #	Source	e Reactivity	Applications		
CPA6059	Rabbit	Н	WB, IH		
Description		Rabbit polyclonal antibody	to RRN3 (Phospho-S649)		
Immunogen		KLH-conjugated synthetic p	nosphopeptide corresponding to residues surrounding		
		S649 of human RRN3 prote	n. The exact sequence is proprietary.		
Purification		The antibody was purified b	y immunogen affinity chromatography.		
Specificity		Recognizes endogenous lev	els of RRN3 protein only when phosphorylated at S649.		
Clonality		Polyclonal			
Conjugation					
Form		Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,			
		and 0.01% sodium azide.			
Dilution		WB (1/500 - 1/1000), IH (1/50) - 1/200)		
Gene Symbol		RRN3			
Alternative Na	ames	TIFIA; RNA polymerase I-sp	ecific transcription initiation factor RRN3; Transcription		
		initiation factor IA; TIF-IA			
Entrez Gene		54700 (Human)			
SwissProt		Q9NYV6 (Human)			
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ry aliquot and store at -20°C for one year. Avoid		
		freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

Coherion

For research purposes only, not for human use

Product Data Sheet



Western blot analysis of RRN3 (Phospho-S649) expression in A375 (A), EC9706 (B), SGC7901 (C) whole cell lysates. (Predicted band size: 74 kD; Observed band size: 74 kD)



Immunohistochemical analysis of RRN3 (Phospho-S649) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com