

Product Data Sheet

Anti-Caspase 7 p20 Antibody

Catalog #	Source	Reactivity	Applications		
CPA6277	Rabbit	H, M, R	WB, IH		
Description		Rabbit polyclonal antibody to Caspase 7 p20			
Immunogen		KLH-conjugated synthetic pe	otide encompassing a sequence within the center		
		region of human Caspase 7 p	20. The exact sequence is proprietary.		
Purification		The antibody was purified by	immunogen affinity chromatography.		
Specificity		Recognizes endogenous leve	s of Caspase 7 p20 protein.		
Clonality Polyclonal					
Conjugation					
Form		Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,			
		and 0.01% sodium azide.			
Dilution		WB (1/500 - 1/1000), IH (1/50	- 1/200)		
Gene Symbol		CASP7			
Alternative Na	ames	MCH3; Caspase-7; CASP-7; A	poptotic protease Mch-3; CMH-1; ICE-like apoptotic		
		protease 3; ICE-LAP3			
Entrez Gene		840 (Human); 12369 (Mouse)		
SwissProt		P55210 (Human); P97864 (M	ouse)		
Storage/Stabi	lity	Shipped at 4°C. Upon deliver	y aliquot and store at -20°C for one year. Avoid		
		freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

Cohesion

kDa A B

72

55


43 34 26

17

For research purposes only, not for human use

Product Data Sheet

Western blot analysis of Caspase 7 p20 expression in rat lung (A), rat liver (B) whole cell lysates. (Predicted band size: 34 kD; Observed band size: 20 kD)



Immunohistochemical analysis of Caspase 7 p20 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com