

Product Data Sheet

Anti-Histone H2B Antibody

Catalog #	Source	e Reactivity	Applications		
CPA6324	Rabbit	Н, М, R, B	WB		
Description		Rabbit polyclonal antibody	to Histone H2B		
Immunogen		KLH-conjugated synthetic peptide encompassing a sequence within the C-term			
		region of human Histone H	2B. The exact sequence is proprietary.		
Purification		The antibody was purified l	by immunogen affinity chromatography.		
Specificity		Recognizes endogenous lev	els of Histone H2B protein.		
Clonality		Polyclonal			
Conjugation					
Form	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,				
		and 0.01% sodium azide.			
Dilution		WB (1/500 - 1/1000)			
Gene Symbol		HIST1H2BC			
Alternative Names		HIST1H2BA; TSH2B; Histone H2B type 1-A; Histone H2B testis; Testis-specific histone			
		H2B; HIST1H2BB; H2BFF; H	stone H2B type 1-B; Histone H2B.1; Histone H2B.f;		
		H2B/f; HIST1H2BC; H2BFL;	HIST1H2BE; H2BFH; HIST1H2BF; H2BFG; HIST1H2BG;		
		H2BFA; HIST1H2BI; H2BFK;			
Entrez Gene		255626, 3018, 3017, 8339,	8343, 8344, 8346, 8347 (Human); 319177, 319178,		
		319179 (Mouse); 24829 (Ra	it)		
SwissProt		Q96A08, P33778, P62807 (Human); P70696, Q64475, Q6ZWY9 (Mouse); Q00729		
		(Rat)			
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid		
		freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

Product Data Sheet



Western blot analysis of Histone H2B expression in U2OS (A), A375 (B), rat testis (C) whole cell lysates. (Predicted band size: 14; 13 kD; Observed band size: 14 kD)

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com