

Product Data Sheet

Anti-Histone H4 Antibody

| Catalog # | Source | Reactivity | Applications | | | |
|----------------|---------|---|---|--|--|--|
| CPA6459 | Rabbit | H, M, R, B, C, P, Z | WB, IH | | | |
| Description | R | Rabbit polyclonal antibody to Histone H4 | | | | |
| Immunogen | K | KLH-conjugated synthetic peptide encompassing a sequence within the center | | | | |
| | re | region of human Histone H4. The exact sequence is proprietary. | | | | |
| Purification | TI | he antibody was purified by in | nmunogen affinity chromatography. | | | |
| Specificity | R | Recognizes endogenous levels of Histone H4 protein. | | | | |
| Clonality | Po | olyclonal | | | | |
| Conjugation | | | | | | |
| Form | Li | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, | | | | |
| | aı | nd 0.01% sodium azide. | | | | |
| Dilution | W | /B (1/500 - 1/1000), IH (1/50 - 1 | /200) | | | |
| Gene Symbol | Н | IST1H4A | | | | |
| Alternative Na | ames H | 4/A; H4FA; H4/I; H4FI; H4/G; H | 4FG; H4/B; H4FB; H4/J; H4FJ; H4/C; H4FC; H4/H; H4FH | | | |
| | H | 4/M; H4FM; H4/E; H4FE; H4/D | ; H4FD; H4/K; H4FK; H4/N; H4F2; H4FN; HIST2H4; | | | |
| | H | 4/O; H4FO; Histone H4 | | | | |
| Entrez Gene | 12 | 21504, 554313, 8294, 8359, 8 | 360, 8361, 8362, 8363, 8364, 8365, 8366, 8367, | | | |
| | 83 | 368, 8370 (Human); 10004123 | 30, 102641229, 319155, 319156, 319157, 319158, | | | |
| | 32 | 19159, 319160, 319161, 3203 | 32, 326619, 326620, 69386, 97122 (Mouse); | | | |
| | 10 | 00360950, 100912290, 10091 | 2418, 10 | | | |
| SwissProt | P | 62805 (Human); P62806 (Moı | use); P62804 (Rat) | | | |
| Storage/Stabi | lity Sł | hipped at 4°C. Upon delivery a | aliquot and store at -20°C for one year. Avoid | | | |
| | fr | eeze/thaw cycles. | | | | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |




For research purposes only, not for human use

Product Data Sheet



Western blot analysis of Histone H4 expression in HEK293T (A), C6 (B), SHSY5Y (C), HUT78 (D) whole cell lysates. (Predicted band size: 11 kD; Observed band size: 14 kD)



Immunohistochemical analysis of Histone H4 staining in human lung formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com