

Product Data Sheet

Anti-Histone H4 (Acetyl-K12) Antibody

Catalog #	Source	Reactivity	Applications		
CPA9380	Rabbit	H <i>,</i> M, R	WB, IH		
Description	R	Rabbit polyclonal antibody to Histone H4 (Acetyl-K12)			
Immunogen	К	KLH-conjugated synthetic acetylated peptide corresponding to residues surroundin			
	К	12 of human Histone H4 pr	otein. The exact sequence is proprietary.		
Purification	Т	he antibody was purified by	r immunogen affinity chromatography.		
Specificity	R	ecognizes endogenous leve	ls of Histone H4 protein only when acetylated at K12.		
Clonality	Р	olyclonal			
Conjugation					
Form	Li	iquid in 0.42% Potassium pl	nosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,		
	а	nd 0.01% sodium azide.			
Dilution	V	VB (1/1000 - 1/2000), IH (1/2	00 - 1/500)		
Gene Symbol	Н	IIST1H4A; HIST1H4B; HIST1	H4C; HIST1H4D; HIST1H4E; HIST1H4F; HIST1H4H;		
	Н	IIST1H4I; HIST1H4J; HIST1H	4K; HIST1H4L; HIST2H4A; HIST2H4B; HIST4H4		
Alternative Na	ames H	14/A; H4FA; H4/I; H4FI; H4/G	; H4FG; H4/B; H4FB; H4/J; H4FJ; H4/C; H4FC; H4/H; H4FH;		
	Н	14/M; H4FM; H4/E; H4FE; H4	/D; H4FD; H4/K; H4FK; H4/N; H4F2; H4FN; HIST2H4;		
	Н	I4/O; H4FO; Histone H4			
Entrez Gene	1	21504 (Human); 10004123) (Mouse); 100360950 (Rat)		
SwissProt	Р	62805 (Human); P62806 (N	louse); P62804 (Rat)		
Storage/Stabi	lity S	hipped at 4°C. Upon deliver	y aliquot and store at -20°C for one year. Avoid		
	fr	reeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED


WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

Cohesion

For research purposes only, not for human use

Product Data Sheet

Western blot analysis of Histone H4 (Acetyl-K12) expression in Hela TSA-treated (A) whole cell lysates. (Predicted band size: 11 kD; Observed band size: 14 kD)



Immunohistochemical analysis of Histone H4 (Acetyl-K12) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com

