

Product Data Sheet

Anti-Histone H4 (Acetyl-K5) Antibody

Catalog #	Source	Reactivity	Applications		
CPA9382	Rabbit	H, M, R	WB, IH		
Description	Ra	Rabbit polyclonal antibody to Histone H4 (Acetyl-K5)			
Immunogen	KI	KLH-conjugated synthetic acetylated peptide corresponding to residues surro			
	KS	5 of human Histone H4 pro	tein. The exact sequence is proprietary.		
Purification	Tł	ne antibody was purified b	y immunogen affinity chromatography.		
Specificity	Re	ecognizes endogenous leve	ls of Histone H4 protein only when acetylated at K5.		
Clonality	Рс	olyclonal			
Conjugation					
Form	Lie	quid in 0.42% Potassium p	nosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,		
	ar	nd 0.01% sodium azide.			
Dilution	W	/B (1/2000 - 1/5000), IH (1/2	00 - 1/500)		
Gene Symbol	H	IST1H4A; HIST1H4B; HIST1	H4C; HIST1H4D; HIST1H4E; HIST1H4F; HIST1H4H;		
	Н	IST1H4I; HIST1H4J; HIST1H	4K; HIST1H4L; HIST2H4A; HIST2H4B; HIST4H4		
Alternative Na	ames H	4/A; H4FA; H4/I; H4FI; H4/G	; H4FG; H4/B; H4FB; H4/J; H4FJ; H4/C; H4FC; H4/H; H4FH;		
	H	4/M; H4FM; H4/E; H4FE; H4	¼D; H4FD; H4/K; H4FK; H4/N; H4F2; H4FN; HIST2H4;		
	H	4/O; H4FO; Histone H4			
Entrez Gene	12	21504 (Human); 10004123	0 (Mouse); 100360950 (Rat)		
SwissProt	Pe	62805 (Human); P62806 (N	1ouse); P62804 (Rat)		
Storage/Stabi	lity Sł	nipped at 4°C. Upon delive	y aliquot and store at -20°C for one year. Avoid		
	fre	eeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

Coherion


kDa A

70

For research purposes only, not for human use

Product Data Sheet

Western blot analysis of Histone H4 (Acetyl-K5) expression in Hela TSA-treated (A) whole cell lysates. (Predicted band size: 11 kD; Observed band size: 14 kD)



Immunohistochemical analysis of Histone H4 (Acetyl-K5) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com