

# **Product Data Sheet**

### **Anti-VPS4A Antibody**


Catalog #	Source	Reactivity	Applications
CQA3274	Rabbit	H, M, R	WB, IH, IF/IC
Description	Ra	abbit polyclonal antibody	to VPS4A
Immunogen	Re	ecombinant full length pr	otein of human VPS4A
Purification	Tł	ne antibody was purified	by immunogen affinity chromatography.
Specificity	Re	ecognizes endogenous lev	vels of VPS4A protein.
Clonality	Pc	olyclonal	
Conjugation			
Form	Lie	quid in 0.42% Potassium	phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,
	ar	nd 0.01% sodium azide.	
Dilution	W	/B (1/500 - 1/2000), IH (1/5	0 - 1/200), IF/IC (1/50 - 1/200)
Gene Symbol	VI	PS4A	
Alternative Na	ames VI	PS4; Vacuolar protein sor	ting-associated protein 4A; Protein SKD2; VPS4-1; hVPS4
Entrez Gene	27	7183 (Human); 116733 (N	1ouse); 246772 (Rat)
SwissProt	Q	9UN37 (Human); Q8VEJ9	(Mouse); Q793F9 (Rat)
Storage/Stabi	<b>lity</b> Sł	nipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid
	fre	eeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com







For research purposes only, not for human use

# **Product Data Sheet**

Western blot analysis of VPS4A expression in MCF7 (A), Hela (B), mouse brain (C), rat brain (D) whole cell lysates. (Predicted band size: 48 kD; Observed band size: 49 kD)



Immunohistochemical analysis of VPS4A staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunofluorescent analysis of VPS4A staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com