

Product Data Sheet

Anti-Caveolin 3 Antibody

Catalog #	Source	e Reactivity	Applications		
CQA3410	Rabbit	Н, М	WB, IH		
Description		Rabbit polyclonal antibody	to Caveolin 3		
Immunogen		Recombinant full length pro	otein of human Caveolin 3		
Purification	Purification The antibody was purified by immunogen affinity chromatography.				
Specificity		Recognizes endogenous lev	els of Caveolin 3 protein.		
Clonality		Polyclonal			
Conjugation					
Form		Liquid in 0.42% Potassium p	ohosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,		
		and 0.01% sodium azide.			
Dilution		WB (1/500 - 1/2000), IH (1/5) - 1/200)		
Gene Symbol		CAV3			
Alternative Na	ames	Caveolin-3; M-caveolin			
Entrez Gene		859 (Human); 12391 (Mous	e)		
SwissProt		P56539 (Human); P51637 (Mouse)		
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid		
		freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

Cohesion


kDa A

70

For research purposes only, not for human use

Product Data Sheet

Western blot analysis of Caveolin 3 expression in BT474 (A) whole cell lysates. (Predicted band size: 17 kD; Observed band size: 17 kD)



Immunohistochemical analysis of Caveolin 3 staining in human colon cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com