

## **Product Data Sheet**

## Anti-AGXT1 Antibody

Catalog #	Source	Reactivity	Applications	
CQA3438	Rabbit	Н	WB, IH	
Description		Rabbit polyclonal antibody t	o AGXT1	
Immunogen		Recombinant full length pro	ein of human AGXT1	
Purification		The antibody was purified b	y immunogen affinity chromatography.	
Specificity		Recognizes endogenous leve	ls of AGXT1 protein.	
Clonality		Polyclonal		
Conjugation				
Form		Liquid in 0.42% Potassium p	nosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,	
		and 0.01% sodium azide.		
Dilution	,	WB (1/500 - 1/2000), IH (1/50	- 1/200)	
Gene Symbol		AGXT		
Alternative Na	ames	AGT1; SPAT; Serinepyruvat	e aminotransferase; SPT; Alanineglyoxylate	
		aminotransferase; AGT		
Entrez Gene 18		189 (Human)		
SwissProt		P21549 (Human)		
Storage/Stabi	lity	Shipped at 4°C. Upon delive	y aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



kDa

200


140

Δ

For research purposes only, not for human use

# **Product Data Sheet**

Western blot analysis of AGXT1 expression in LO2 (A) whole cell lysates. (Predicted band size: 43 kD; Observed band size: 43 kD)



Immunohistochemical analysis of AGXT1 staining in human liver formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com