

## **Product Data Sheet**

### Anti-Beta-tubulin Antibody

Catalog #	Source	Reactivity	Applications
CQA8075	Rabbit	H, M, R	WB, IH, IP
Description		Rabbit monoclonal antibody	to Beta-tubulin
Immunogen		A synthetic peptide of huma	n beta Tubulin
Purification		The antibody was purified b	y immunogen affinity chromatography.
Specificity		Recognizes endogenous leve	els of Beta-tubulin protein.
Clonality		Monoclonal	
Conjugation			
Form		Liquid in 50mM Tris-Glycine	(pH 7.4), 0.15M NaCl, 50% Glycerol, 0.01% Sodium azide
		and 0.05% BSA.	
Dilution		WB (1/500 - 1/1000), IH (1/50	- 1/100), IP (1/10 - 1/50)
Gene Symbol		TUBB	
Alternative Na	ames	TUBB5; Tubulin beta chain; <sup>-</sup>	Tubulin beta-5 chain
Entrez Gene		203068 (Human); 22154 (M	ouse); 29214 (Rat)
SwissProt		P07437 (Human); P99024 (N	1ouse); P69897 (Rat)
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ry aliquot and store at -20°C for one year. Avoid
		freeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com




For research purposes only, not for human use

# **Product Data Sheet**



Western blot analysis of Beta-tubulin expression in rat brain (A), C6 (B), NIH3T3 (C), Hela (D) whole cell lysates. (Predicted band size: 50 kD; Observed band size: 55 kD)



Immunohistochemical analysis of Beta-tubulin staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com