

Product Data Sheet

HEY2 siRNA (Human)

Catalog #	Source	Reactivity	Applications
CRH8304	Synthetic	Н	RNAi
Description	siRNA	A to inhibit HEY2 expr	ession using RNA interference
Specificity	HEY2	siRNA (Human) is a ta	arget-specific 19-23 nt siRNA oligo duplexes designed to
	knock	k down gene expression	on.
Form	Lyoph	nilized powder	
Gene Symbol	HEY2		
Alternative N	ames BHLH	B32; CHF1; GRL; HER	P; HERP1; HRT2; Hairy/enhancer-of-split related with
	YRPW	/ motif protein 2; Car	diovascular helix-loop-helix factor 1; hCHF1; Class B basic
	helix-	loop-helix protein 32	bHLHb32; HES-related repressor protein 2; Hairy and
	enhai	ncer of split-related p	rotein 2; HESR-2; Hairy-related transcription factor 2;
	HRT-2	2; hHRT2; Protein grid	lock homolog
Entrez Gene	23493	3 (Human)	
SwissProt	Q9UB	3P5 (Human)	
Purity	> 97%	6	
Quality Contr	ol Oligo	nucleotide synthesis i	s monitored base by base through trityl analysis to ensure
	appro	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid
	phase	e extraction. The anne	ealed RNA duplex is further analyzed by mass
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to
	the p	revious lot by mass sp	pectrometry to ensure maximum lot-to-lot consistency.
Components	We of	ffers pre-designed set	s of 3 different target-specific siRNA oligo duplexes of
	huma	an HEY2 gene. Each vi	al contains 5 nmol of lyophilized siRNA. The duplexes can
	be tra	ansfected individually	or pooled together to achieve knockdown of the target

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

gene, which is most commonly assessed by qPCR or western blot.

Component	15 nmol	30 nmol	
HEY2 siRNA (Human) - A	5 nmol x 1	5 nmol x 2	
HEY2 siRNA (Human) - B	5 nmol x 1	5 nmol x 2	
HEY2 siRNA (Human) - C	5 nmol x 1	5 nmol x 2	
Negative Control	2.5 nmol x 1	2.5 nmol x 2	
DEPC Water	1 ml x 1	1 ml x 2	

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
	100 µl	100 nM	0.5 μl	0.25 μl
96-well		50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
24-well	500 μl	100 nM	2.5 μl	1 µl
		50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 µl
12-well	1 ml	100 nM	5 μl	2 μΙ
		50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 µl
6-well	2 ml	100 nM	10 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

Product Data Sheet

50 nM5 μl5 μl10 nM1 μl5 μl	o. /o. 1.1				
50 nM 5 μl 5 μl		10) nM	1 µl	5 μl
		50) nM	5 μl	5 μΙ

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com