

Product Data Sheet

GALNT8 siRNA (Human)

Source	Reactivity	Applications		
Synthetic	Н	RNAi		
siRNA	to inhibit GALNT8 e>	pression using RNA interference		
GALN	GALNT8 siRNA (Human) is a target-specific 19-23 nt siRNA oligo duplexes designed			
to kno	ock down gene expre	ssion.		
Lyoph	nilized powder			
GALN	GALNT8			
imes Proba	Probable polypeptide N-acetylgalactosaminyltransferase 8; Polypeptide GalNAc			
transf	erase 8; GalNAc-T8; J	pp-GaNTase 8; Protein-UDP		
acety	lgalactosaminyltransf	erase 8; UDP-GalNAc:polypeptide		
N-ace	tylgalactosaminyltrar	nsferase 8		
26290	26290 (Human)			
Q9NY	Q9NY28 (Human)			
> 97%	, D			
ol Oligoi	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
appro	priate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
phase	e extraction. The anne	ealed RNA duplex is further analyzed by mass		
spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
the p	revious lot by mass sp	pectrometry to ensure maximum lot-to-lot consistency.		
We of	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
huma	n GALNT8 gene. Each	vial contains 5 nmol of lyophilized siRNA. The duplexes		
can b	e transfected individu	ally or pooled together to achieve knockdown of the		
target	t gene, which is most	commonly assessed by qPCR or western blot.		
	Synthetic siRNA GALN to kno Lyoph GALN GALN Comes Proba transf acety N-ace 26290 Q9NY > 97% Oligon appro phase spect the pi We of huma can b	SyntheticHsiRNA to inhibit GALNT8 exGALNT8 siRNA (Human) isto knock down gene expressLyophilized powderGALNT8mesProbable polypeptide N-acctransferase 8; GalNAc-T8; pacetylgalactosaminyltransfN-acetylgalactosaminyltransfNamo GALNT8Nemon GALNT8Nama GALNT8Nam		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
GALNT8 siRNA (Human) - A	5 nmol x 1	5 nmol x 2
GALNT8 siRNA (Human) - B	5 nmol x 1	5 nmol x 2
GALNT8 siRNA (Human) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 μl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
o-well	Z mi	50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com