

Product Data Sheet

BLNK siRNA (Human)

Catalog #	Source	Reactivity	Applications		
CRH9217	Synthetic	н	RNAi		
Description	siRNA	to inhibit BLNK expr	ession using RNA interference		
Specificity	BLNK	siRNA (Human) is a ta	arget-specific 19-23 nt siRNA oligo	duplexes designed to	
	knock	down gene expression	on.		
Form	Lyoph	nilized powder			
Gene Symbol	BLNK	BLNK			
Alternative N	ames BASH	BASH; SLP65; B-cell linker protein; B-cell adapter containing a SH2 domain protein;			
	B-cell	adapter containing a	Src homology 2 domain protein; C	cytoplasmic adapter	
	prote	in; Src homology 2 dc	main-containing leukocyte proteir	n of 65 kDa; SLP-65	
Entrez Gene	29760) (Human)			
SwissProt	Q8W	Q8WV28 (Human)			
Purity	> 97%	Ó			
Quality Control Oligonucleotide synthesis is monitored base by base through trityl analy			trityl analysis to ensure		
	appro	opriate coupling efficie	ency. The oligo is subsequently pur	ified by affinity-solid	
	phase	e extraction. The anne	ealed RNA duplex is further analyze	ed by mass	
	spect	rometry to verify the	exact composition of the duplex. E	ach lot is compared to	
	the p	revious lot by mass sp	pectrometry to ensure maximum lo	ot-to-lot consistency.	
Components We offers pre-designed sets of 3 different target-specific siRNA oligo duple			A oligo duplexes of		
	huma	in BLNK gene. Each vi	al contains 5 nmol of lyophilized si	RNA. The duplexes can	
	be tra	ansfected individually	or pooled together to achieve kno	ckdown of the target	
	gene,	which is most comm	only assessed by qPCR or western	blot.	
	Com	ponent	15 nmol	30 nmol	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

BLNK siRNA (Human) - A	5 nmol x 1	5 nmol x 2
BLNK siRNA (Human) - B	5 nmol x 1	5 nmol x 2
BLNK siRNA (Human) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 μl
		10 nM	1 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	СИЗТОМ
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

Product Data Sheet

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com