

Product Data Sheet

ASPSCR1 siRNA (Human)

Catalog #	Source	Reactivity	Applications			
CRJ2284	Synthetic	н	RNAi			
Description	siRN	A to inhibit ASPSCR1 e	expression using RNA interference			
Specificity	ASPS	SCR1 siRNA (Human) is	a target-specific 19-23 nt siRNA oligo duplexes designed			
	to kr	ock down gene expre	ssion.			
Form	Lyop	hilized powder				
Gene Symbol	ASPS	ASPSCR1				
Alternative Na	ames ASPL	ASPL; RCC17; TUG; UBXD9; UBXN9; Tether containing UBX domain for GLUT4;				
	Alve	olar soft part sarcoma	chromosomal region candidate gene 1 protein; Alveolar			
	soft	part sarcoma locus; Re	enal papillary cell carcinoma protein 17; UBX			
	dom	ain-containing proteir	9			
Entrez Gene	7905	79058 (Human)				
SwissProt	Q9B2	Q9BZE9 (Human)				
Purity	> 979	%				
Quality Contro	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure				
	appr	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid			
	phas	e extraction. The ann	ealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	exact composition of the duplex. Each lot is compared to			
	the p	previous lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We c	offers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of			
	hum	an ASPSCR1 gene. Eac	h vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can b	pe transfected individu	ally or pooled together to achieve knockdown of the			
	targe	et gene, which is most	commonly assessed by qPCR or western blot.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
ASPSCR1 siRNA (Human) - A	5 nmol x 1	5 nmol x 2
ASPSCR1 siRNA (Human) - B	5 nmol x 1	5 nmol x 2
ASPSCR1 siRNA (Human) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μl
		50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com