

# **Product Data Sheet**

# HELZ2 siRNA (Human)

Catalog #	Source	Reactivity	Applications		
CRJ3810	Synthetic	н	RNAi		
Description	siRNA	A to inhibit HELZ2 exp	ression using RNA interference		
Specificity	HELZ	2 siRNA (Human) is a	target-specific 19-23 nt siRNA oligo duplexes designed to		
	knocl	k down gene expressi	on.		
Form	Lyopł	nilized powder			
Gene Symbol	HELZ	2			
Alternative N	ames KIAA:	1769; PRIC285; Helica	se with zinc finger domain 2; ATP-dependent helicase		
	PRIC2	285; Helicase with zin	c finger 2. transcriptional coactivator;		
	PPAR	-alpha-interacting cor	nplex protein 285; PPAR-gamma DNA-binding		
	doma	ain-interacting proteir	1; PDIP1; PPAR-gamma DBD-interacting protein 1;		
	Perox	kisomal proliferator-ad	tivated receptor A-interacting complex 285 kDa protein		
Entrez Gene	8544	1 (Human)			
SwissProt	Q9BY	′K8 (Human)			
Purity	> 97%	6			
Quality Contr	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	appro	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phase	e extraction. The anne	aled RNA duplex is further analyzed by mass		
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
	the p	revious lot by mass sp	ectrometry to ensure maximum lot-to-lot consistency.		
Components	We o	ffers pre-designed set	s of 3 different target-specific siRNA oligo duplexes of		
	huma	an HELZ2 gene. Each v	ial contains 5 nmol of lyophilized siRNA. The duplexes can		
	be tra	ansfected individually	or pooled together to achieve knockdown of the target		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

gene, which is most commonly assessed by qPCR or western blot.

Component	15 nmol	30 nmol
HELZ2 siRNA (Human) - A	5 nmol x 1	5 nmol x 2
HELZ2 siRNA (Human) - B	5 nmol x 1	5 nmol x 2
HELZ2 siRNA (Human) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
	100 µl	100 nM	0.5 μl	0.25 μl
96-well		50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
24-well	500 μl	100 nM	2.5 μl	1 µl
		50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 µl
12-well	1 ml	100 nM	5 μl	2 μΙ
		50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 µl
6-well	2 ml	100 nM	10 µl	5 μl

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

# **Product Data Sheet**

50 nM5 μl5 μl10 nM1 μl5 μl	o. /o. 1.1				
50 nM 5 μl 5 μl		10	) nM	1 µl	5 μl
		50	) nM	5 μl	5 μΙ

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com