

Product Data Sheet

TXNRD3NB siRNA (Human)

Catalog #	Source	Reactivity	Applications			
CRJ8516	Synthetic	Н	RNAi			
Description	siRN	A to inhibit TXNRD3NI	3 expression using RNA interference			
Specificity	TXNF	TXNRD3NB siRNA (Human) is a target-specific 19-23 nt siRNA oligo duplexes				
	desig	gned to knock down ge	ene expression.			
Form	Lyop	hilized powder				
Gene Symbol	TXNF	TXNRD3NB				
Alternative N	lames TR2I	TR2IT1; TXNRD3IT1; TXNRD3NT1; Protein TXNRD3NB; Thioredoxin reductase 2				
	intro	nic transcript 1; Thior	edoxin reductase 3 intronic transcript 1; Thioredoxin			
	redu	ctase 3 neighbor gene	e protein; TXNRD3 neighbor gene protein; Thioredoxin			
	redu	ctase 3 new transcri				
Entrez Gene	6458	645840 (Human)				
SwissProt	Q6F5	Q6F5E7 (Human)				
Purity	> 979	%				
Quality Contr	rol Oligo	onucleotide synthesis i	is monitored base by base through trityl analysis to ensure			
	appr	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid			
	phas	e extraction. The anne	ealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	exact composition of the duplex. Each lot is compared to			
	the p	previous lot by mass sp	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We c	offers pre-designed set	ts of 3 different target-specific siRNA oligo duplexes of			
	hum	an TXNRD3NB gene. E	ach vial contains 5 nmol of lyophilized siRNA. The			
	dupl	exes can be transfecte	d individually or pooled together to achieve knockdown			
	of th	e target gene, which is	s most commonly assessed by qPCR or western blot.			
Application ka		Nostorn blot IH Immung	abistachamistry IE. Immunafluorosconco, EC. Elaw sytamatry IC.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
TXNRD3NB siRNA (Human) - A	5 nmol x 1	5 nmol x 2
TXNRD3NB siRNA (Human) - B	5 nmol x 1	5 nmol x 2
TXNRD3NB siRNA (Human) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
96-well	100 μl	100 nM	0.5 μl	0.25 μl
		50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 μl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μl
		50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com