

Product Data Sheet

ARHGAP31 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM0626	Synthetic	М	RNAi		
Description	siRNA	to inhibit ARHGAP31	expression using RNA interference		
Specificity	ARHO	GAP31 siRNA (Mouse)	is a target-specific 19-23 nt siRNA olig	o duplexes	
	desig	ned to knock down ge	ene expression.		
Form	Lyopł	nilized powder			
Gene Symbol	ARHG	ARHGAP31			
Alternative N	ames CDGA	CDGAP; KIAA1204; Rho GTPase-activating protein 31; Cdc42 GTPase-activating			
	prote	in			
Entrez Gene	1254	9 (Mouse)			
SwissProt	A6X8	A6X8Z5 (Mouse)			
Purity > 97%					
Quality Contr	ol Oligo	nucleotide synthesis i	s monitored base by base through trit	yl analysis to ensure	
	appro	opriate coupling efficie	ency. The oligo is subsequently purified	d by affinity-solid	
	phase	e extraction. The anne	aled RNA duplex is further analyzed b	y mass	
	spect	rometry to verify the	exact composition of the duplex. Each	lot is compared to	
	the p	revious lot by mass sp	ectrometry to ensure maximum lot-to	o-lot consistency.	
Components We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes			ligo duplexes of		
	mous	e ARHGAP31 gene. Ea	ach vial contains 5 nmol of lyophilized	siRNA. The	
	duple	exes can be transfecte	d individually or pooled together to ac	chieve knockdown	
	of the	of the target gene, which is most commonly assessed by qPCR or western blot.			
	Com	ponent	15 nmol 3	30 nmol	
	ARH	GAP31 siRNA (Mouse) - A 5 nmol x 1 5	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

ARHGAP31 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
ARHGAP31 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 μl	2 μl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
_		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 μΙ
		10 nM	1 µl	5 μΙ

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com