

Product Data Sheet

CGA siRNA (Mouse)

Source	Reactivity	Applications		
Synthetic	Μ	RNAi		
siRNA	A to inhibit CGA expre	ssion using RNA interference		
CGA	CGA siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed to			
knoc	k down gene expressio	on.		
Lyopl	hilized powder			
CGA	CGA			
imes Glyco	Glycoprotein hormones alpha chain; Anterior pituitary glycoprotein hormones			
comr	mon subunit alpha; Fo	llicle-stimulating hormone alpha chain; FSH-alpha;		
Follit	ropin alpha chain; Lut	einizing hormone alpha chain; LSH-alpha; Lutropin alpha		
chain	ı; Thyroid-stimu			
1264	12640 (Mouse)			
P012	P01216 (Mouse)			
> 97%	6			
ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
appro	opriate coupling efficie	ency. The oligo is subsequently purified by affinity-solid		
phase	e extraction. The anne	aled RNA duplex is further analyzed by mass		
spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
the p	revious lot by mass sp	ectrometry to ensure maximum lot-to-lot consistency.		
We o	ffers pre-designed set	s of 3 different target-specific siRNA oligo duplexes of		
mous	se CGA gene. Each vial	contains 5 nmol of lyophilized siRNA. The duplexes can		
be tra	ansfected individually	or pooled together to achieve knockdown of the target		
gene	, which is most comm	only assessed by qPCR or western blot.		
	Synthetic siRN/ CGA knoc Lyop CGA CGA CGA CGA CGA COM Follit chair 1264 P012 > 979 Oligo appro phas spect the p We o mous	Synthetic M siRNA to inhibit CGA expression CGA siRNA (Mouse) is a tare is tare is a tare is a tare is tare is a tare is		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
CGA siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
CGA siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
CGA siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μl
		50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com