

# **Product Data Sheet**

## CNGA1 siRNA (Mouse)

Catalog #	Source	Poostivity	Applications			
Catalog #	Source	Reactivity	Applications			
CRM0753	Synthetic	Μ	RNAi			
Description	siRN	A to inhibit CNGA1 ex	pression using RNA interference			
Specificity	CNG	A1 siRNA (Mouse) is a	target-specific 19-23 nt siRNA oligo duplexes designed to			
	knoo	ck down gene expressi	on.			
Form	Lyop	bhilized powder				
Gene Symbol	CNG	CNGA1				
Alternative N	ames CNC	CNCG; CNCG1; cGMP-gated cation channel alpha-1; Cyclic nucleotide-gated cation				
	char	nel 1; Cyclic nucleotic	le-gated channel alpha-1; CNG channel alpha-1; CNG-1;			
	CNG	1; Cyclic nucleotide-ga	ated channel. photoreceptor; Rod photoreceptor			
	cGN	1P-gated channel subu	n			
Entrez Gene	1278	12788 (Mouse)				
SwissProt	P299	P29974 (Mouse)				
Purity	> 97	%				
Quality Contr	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure				
	аррі	ropriate coupling effici	ency. The oligo is subsequently purified by affinity-solid			
	phas	se extraction. The ann	ealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	exact composition of the duplex. Each lot is compared to			
	the	previous lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We	offers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of			
	mou	ise CNGA1 gene. Each	vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can	be transfected individ	ually or pooled together to achieve knockdown of the			
	targ	et gene, which is most	commonly assessed by qPCR or western blot.			
Anneltentent			- historic territoria de la construcción de la construcción de la construcción de la construcción de la constru			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

Component	15 nmol	30 nmol
CNGA1 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
CNGA1 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
CNGA1 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
o-well	2 ml	50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com