

# **Product Data Sheet**

## SMC3 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications			
CRM0887	Synthetic	Μ	RNAi			
Description	siRN	A to inhibit SMC3 exp	ression using RNA interference			
Specificity	SMC	3 siRNA (Mouse) is a t	arget-specific 19-23 nt siRNA oligo duplexes designed to			
	knoc	k down gene expressi	on.			
Form	Lyop	hilized powder				
Gene Symbol	SMC	SMC3				
Alternative N	ames BAM	BAM; BMH; CSPG6; MMIP1; SMC3L1; SMCD; Structural maintenance of				
	chro	mosomes protein 3; S	MC protein 3; SMC-3; Basement membrane-associated			
	chon	droitin proteoglycan;	Bamacan; Chondroitin sulfate proteoglycan 6;			
	Chro	mosome segregation	protein SmcD; Mad membe			
Entrez Gene	1300	13006 (Mouse)				
SwissProt	Q9C	W03 (Mouse)				
Purity	> 979	%				
Quality Contr	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure				
	appr	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid			
	phas	e extraction. The ann	ealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	exact composition of the duplex. Each lot is compared to			
	the p	previous lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We c	offers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of			
	mou	se SMC3 gene. Each v	al contains 5 nmol of lyophilized siRNA. The duplexes can			
	be tr	ansfected individually	or pooled together to achieve knockdown of the target			
	gene	, which is most comm	only assessed by qPCR or western blot.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

Component	15 nmol	30 nmol
SMC3 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
SMC3 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
SMC3 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
		50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com