

Product Data Sheet

CTSS siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM0911	Synthetic	М	RNAi		
Description	siRNA	A to inhibit CTSS expre	ssion using RNA interference		
Specificity	CTSS	CTSS siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed to			
	knocl	< down gene expressio	n.		
Form	Lyoph	nilized powder			
Gene Symbol	CTSS	CTSS			
Alternative Na	ames CATS;	CATS; Cathepsin S			
Entrez Gene	1304	0 (Mouse)			
SwissProt	0703	O70370 (Mouse)			
Purity > 9		> 97%			
Quality ControlOligonucleotide synthesis is monitored base by base through trityl		rityl analysis to ensure			
	appro	opriate coupling efficie	ncy. The oligo is subsequently puri	fied by affinity-solid	
	phase	e extraction. The anne	aled RNA duplex is further analyzed	d by mass	
	spect	rometry to verify the e	exact composition of the duplex. Ea	ach lot is compared to	
	the p	revious lot by mass sp	ectrometry to ensure maximum lot	-to-lot consistency.	
Components We		We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mous	e CTSS gene. Each vial	contains 5 nmol of lyophilized siRN	NA. The duplexes can	
	be tra	ansfected individually	or pooled together to achieve knoc	kdown of the target	
	gene, which is most commonly assessed by qPCR or western blot.			lot.	
	Com	ponent	15 nmol	30 nmol	
	CTSS	S siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

5 nmol x 1

5 nmol x 2

CTSS siRNA (Mouse) - B

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

-			
	DEPC Water	1 ml x 1	1 ml x 2
	Negative Control	2.5 nmol x 1	2.5 nmol x 2
	CTSS siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 µl
		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μΙ	5 µl
		10 nM	1 µl	5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com