

Product Data Sheet

EGF siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM1152	Synthetic	Μ	RNAi		
Description	siRN	A to inhibit EGF expres	sion using RNA interference		
Specificity	EGF	EGF siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed to			
	knoc	k down gene expressio	n.		
Form	Lyop	hilized powder			
Gene Symbol	EGF	EGF			
Alternative Na	ames Pro-e	Pro-epidermal growth factor; EGF			
Entrez Gene	1364	13645 (Mouse)			
SwissProt	P011	P01132 (Mouse)			
Purity > 97%		%			
Quality Control	Quality Control Oligonucleotide synthesis is monitored base by base through trityl analysis			trityl analysis to ensure	
	appr	opriate coupling efficie	ncy. The oligo is subsequently puri	ified by affinity-solid	
	phas	phase extraction. The annealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	exact composition of the duplex. E	ach lot is compared to	
	the p	previous lot by mass sp	ectrometry to ensure maximum lo	t-to-lot consistency.	
Components	We c	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mou	se EGF gene. Each vial	contains 5 nmol of lyophilized siRN	IA. The duplexes can	
	be tr	ansfected individually	or pooled together to achieve know	ckdown of the target	
	gene, which is most commonly assessed by qPCR or western blot.			olot.	
	Cor	nponent	15 nmol	30 nmol	
	EGF	siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

5 nmol x 1

5 nmol x 2

EGF siRNA (Mouse) - B

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

EGF siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 µl
		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 µl
		10 nM	1 µl	5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com