

Product Data Sheet

SRSF10 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications			
CRM1311	Synthetic	М	RNAi			
Description	siRN	A to inhibit SRSF10 ex	pression using RNA interference			
Specificity	SRSF	SRSF10 siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed to				
	knoc	k down gene express	ion.			
Form	Lyop	hilized powder				
Gene Symbol	SRSF	SRSF10				
Alternative Na	ames FUSI	FUSIP1; NSSR; SFRS13A; SRSF13A; Serine/arginine-rich splicing factor 10;				
	FUS-	interacting serine-arg	inine-rich protein 1; Neural-salient serine/arginine-rich			
	prote	ein; Neural-specific SI	R protein; Splicing factor. arginine/serine-rich 13A;			
	TLS-a	associated pro				
Entrez Gene	1410	14105 (Mouse)				
SwissProt	Q9R0	Q9R0U0 (Mouse)				
Purity	> 979	%				
Quality Contro	ol Oligo	onucleotide synthesis	is monitored base by base through trityl analysis to ensure			
	appr	opriate coupling effic	iency. The oligo is subsequently purified by affinity-solid			
	phas	e extraction. The ann	ealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	e exact composition of the duplex. Each lot is compared to			
	the p	previous lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We c	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of				
	mou	se SRSF10 gene. Each	vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can b	be transfected individ	ually or pooled together to achieve knockdown of the			
	targe	et gene, which is mos	t commonly assessed by qPCR or western blot.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
SRSF10 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
SRSF10 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
SRSF10 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6 woll	2 ml	100 nM	10 µl	5 μl
6-well	Z mi	50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com