

# **Product Data Sheet**

## GSTO1 siRNA (Mouse)

Catalog # So	ource	Reactivity	Applications		
-	ynthetic	M	RNAi		
Description	siRNA	to inhibit GSTO1 exp	pression using RNA interference		
Specificity	GSTO	1 siRNA (Mouse) is a	target-specific 19-23 nt siRNA oligo duplexes designed to		
	knock	down gene expressi	on.		
Form	Lyoph	ilized powder			
Gene Symbol	GSTO	GST01			
Alternative Name	es GSTX;	GSTX; GTSTTL; Glutathione S-transferase omega-1; GSTO-1; Glutathione			
	S-tran	sferase omega 1-1; (	GSTO 1-1; Glutathione-dependent dehydroascorbate		
	reduct	tase; Monomethylar	sonic acid reductase; MMA(V) reductase;		
	S-(Phe	enacyl)glutathione re	ductase; SPG-R; p28		
Entrez Gene	14873	14873 (Mouse)			
SwissProt	00913	O09131 (Mouse)			
Purity	> 97%				
Quality Control	Oligor	nucleotide synthesis	is monitored base by base through trityl analysis to ensure		
	appro	priate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phase	extraction. The ann	ealed RNA duplex is further analyzed by mass		
	spectr	rometry to verify the	exact composition of the duplex. Each lot is compared to		
	the pr	evious lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.		
Components	We of	fers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of		
	mouse	e GSTO1 gene. Each	vial contains 5 nmol of lyophilized siRNA. The duplexes can		
	be tra	nsfected individually	or pooled together to achieve knockdown of the target		
	gene,	which is most comm	only assessed by qPCR or western blot.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

Component	15 nmol	30 nmol
GSTO1 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
GSTO1 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
GSTO1 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μΙ
		50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com