

# **Product Data Sheet**

## CD93 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM2405	Synthetic	Μ	RNAi		
Description	siRNA	to inhibit CD93 expre	ession using RNA interference		
Specificity	CD93	siRNA (Mouse) is a ta	rget-specific 19-23 nt siRNA oligo	duplexes designed to	
	knock	down gene expressio	n.		
Form	Lyoph	nilized powder			
Gene Symbol	CD93				
Alternative N	ames AA4;	AA4; C1QR1; C1QRP; LY68; Complement component C1q receptor; C1q/MBL/SPA			
	recep	tor; C1qR(p); C1qRp;	Cell surface antigen AA4; Compler	ment component 1 q	
	subco	omponent receptor 1;	Lymphocyte antigen 68; Ly-68; CE	) antigen CD93	
Entrez Gene	17064	4 (Mouse)			
SwissProt	0891	O89103 (Mouse)			
Purity	> 97%	0			
Quality Contr	ol Oligonucleotide synthesis is monitored base by base through trityl analysis to e			n trityl analysis to ensure	
	appro	opriate coupling efficie	ency. The oligo is subsequently pu	rified by affinity-solid	
	phase	e extraction. The anne	aled RNA duplex is further analyze	ed by mass	
	spect	rometry to verify the	exact composition of the duplex. I	Each lot is compared to	
	the p	revious lot by mass sp	ectrometry to ensure maximum le	ot-to-lot consistency.	
Components	We of	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mous	e CD93 gene. Each via	l contains 5 nmol of lyophilized si	RNA. The duplexes can	
	be tra	ansfected individually	or pooled together to achieve kno	ockdown of the target	
gene, which is most con			only assessed by qPCR or western	blot.	
	Com	ponent	15 nmol	30 nmol	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

CD93 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
CD93 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
CD93 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 μΙ
6-well	2 ml	50 nM	5 µl	5 μl
		10 nM	1 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

## **Product Data Sheet**

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com