

# **Product Data Sheet**

## ST8SIA3 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications			
CRM3726	Synthetic	Μ	RNAi			
Description	siRN	A to inhibit ST8SIA3	expression using RNA interference			
Specificity	ST8	SIA3 siRNA (Mouse) i	s a target-specific 19-23 nt siRNA oligo duplexes designed to			
	kno	ck down gene expres	sion.			
Form	Lyo	philized powder				
Gene Symbol	ST8	ST8SIA3				
Alternative N	ames SIAT	SIAT8C; Sia-alpha-2.3-Gal-beta-1.4-GlcNAc-R:alpha 2.8-sialyltransferase;				
	Alpl	na-2.8-sialyltransfera	se 8C; Alpha-2.8-sialyltransferase III; ST8			
	alpł	าล-N-acetyl-neuramir	ide alpha-2.8-sialyltransferase 3; Sialyltransferase 8C;			
	SIAT	۲8-C; Sialyltransferas	e St8Sia			
Entrez Gene	204	20451 (Mouse)				
SwissProt	Q64	Q64689 (Mouse)				
Purity	> 97	7%				
Quality Contr	ol Olig	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure				
	арр	ropriate coupling eff	ciency. The oligo is subsequently purified by affinity-solid			
	pha	se extraction. The an	nealed RNA duplex is further analyzed by mass			
	spe	ctrometry to verify th	ne exact composition of the duplex. Each lot is compared to			
	the	previous lot by mass	spectrometry to ensure maximum lot-to-lot consistency.			
Components	We	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of				
	mo	use ST8SIA3 gene. Ea	ch vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can	be transfected indivi	dually or pooled together to achieve knockdown of the			
	targ	et gene, which is mo	st commonly assessed by qPCR or western blot.			
	_					

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

Component	15 nmol	30 nmol
ST8SIA3 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
ST8SIA3 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
ST8SIA3 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 µl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μl
o-well	2 ml	50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com