

# **Product Data Sheet**

### TUBA3B siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM4283	Synthetic	Μ	RNAi		
Description	siRNA	to inhibit TUBA3B ex	pression using RNA interference	ce	
Specificity	TUBAS	3B siRNA (Mouse) is	a target-specific 19-23 nt siRNA	oligo duplexes designed to	
	knock	down gene expressi	on.		
Form	Lyoph	ilized powder			
Gene Symbol	TUBAS	TUBA3B			
Alternative N	ames TUBAS	TUBA3; TUBA7; Tubulin alpha-3 chain; Alpha-tubulin 3/7; Alpha-tubulin isotype			
	M-alp	ha-3/7; Tubulin alph	a-3/alpha-7 chain		
Entrez Gene	22147	' (Mouse)			
SwissProt	P0521	P05214 (Mouse)			
Purity	> 97%	> 97%			
Quality Control Oligonucleotide synthesis is monitored base by base through trityl			ugh trityl analysis to ensure		
	appro	priate coupling effici	ency. The oligo is subsequently	purified by affinity-solid	
	phase	extraction. The anne	ealed RNA duplex is further ana	lyzed by mass	
	spectr	rometry to verify the	exact composition of the duple	ex. Each lot is compared to	
	the pr	evious lot by mass sp	pectrometry to ensure maximum	m lot-to-lot consistency.	
Components	We of	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mouse	e TUBA3B gene. Each	n vial contains 5 nmol of lyophili	ized siRNA. The duplexes	
	can be	e transfected individu	ually or pooled together to achie	eve knockdown of the	
	target	gene, which is most	commonly assessed by qPCR o	r western blot.	
	Com	ponent	15 nmol	30 nmol	
	TUBA	A3B siRNA (Mouse) -	A 5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

TUBA3B siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
TUBA3B siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

**Directions for Use** 

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
_		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
_		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 μΙ
		10 nM	1 µl	5 μΙ

#### Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com