

Product Data Sheet

USP9X siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM4361	Synthetic	М	RNAi		
Description	siRNA	to inhibit USP9X exp	pression using RNA interference		
Specificity	USP9	X siRNA (Mouse) is a	target-specific 19-23 nt siRNA oligo duplexes designed to		
	knock	k down gene expression	on.		
Form	Lyopł	nilized powder			
Gene Symbol	USP9	USP9X			
Alternative Na	ames FAFL;	FAFL; FAM; Probable ubiquitin carboxyl-terminal hydrolase FAF-X; Deubiquitinating			
	enzyr	ne FAF-X; Fat facets h	omolog; Fat facets protein-related. X-linked; Ubiquitin		
	carbo	xyl-terminal hydrolas	e FAM; Ubiquitin thioesterase FAF-X; Ubiquitin-specific		
	prote	ase			
Entrez Gene	2228	22284 (Mouse)			
SwissProt	P703	P70398 (Mouse)			
Purity	> 97%	6			
Quality Contro	ol Oligo	nucleotide synthesis i	is monitored base by base through trityl analysis to ensure		
	appro	priate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phase	extraction. The anne	ealed RNA duplex is further analyzed by mass		
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
	the p	revious lot by mass sp	pectrometry to ensure maximum lot-to-lot consistency.		
Components	We o	ffers pre-designed set	ts of 3 different target-specific siRNA oligo duplexes of		
	mous	e USP9X gene. Each v	vial contains 5 nmol of lyophilized siRNA. The duplexes can		
	be tra	ansfected individually	or pooled together to achieve knockdown of the target		
	gene,	which is most comm	only assessed by qPCR or western blot.		
		An at a way laborate all the lab			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
USP9X siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
USP9X siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
USP9X siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6 woll	2 ml	100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com