

# **Product Data Sheet**

### **B3GALT2 siRNA (Mouse)**

Catalog #	Source	Reactivity	Applications		
CRM4786	Synthetic	М	RNAi		
Description	siRNA	to inhibit B3GALT2	expression using RNA interference	ce	
Specificity	B3GA	LT2 siRNA (Mouse) is	a target-specific 19-23 nt siRNA	oligo duplexes designed	
	to kno	ock down gene expre	ssion.		
Form	Lyoph	ilized powder			
Gene Symbol	B3GA	B3GALT2			
Alternative N	ames Beta-:	Beta-1.3-galactosyltransferase 2; Beta-1.3-GalTase 2; Beta3Gal-T2; Beta3GalT2;			
	UDP-0	Gal:betaGlcNAc beta	1.3-galactosyltransferase-II		
Entrez Gene	26878	3 (Mouse)			
SwissProt O54905 (Mouse)					
Purity > 97%					
Quality Contr	Quality Control Oligonucleotide synthesis is monitored base by base through trityl analysis to			igh trityl analysis to ensure	
	appro	priate coupling effic	ency. The oligo is subsequently	purified by affinity-solid	
	phase	e extraction. The ann	ealed RNA duplex is further anal	lyzed by mass	
	spect	rometry to verify the	exact composition of the duple	x. Each lot is compared to	
	the pi	revious lot by mass s	pectrometry to ensure maximun	n lot-to-lot consistency.	
Components	We of	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mous	e B3GALT2 gene. Eac	h vial contains 5 nmol of lyophil	ized siRNA. The duplexes	
	can b	e transfected individ	ually or pooled together to achie	eve knockdown of the	
	target	t gene, which is most	commonly assessed by qPCR or	western blot.	
	Com	ponent	15 nmol	30 nmol	
	B3G/	ALT2 siRNA (Mouse)	- A 5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

B3GALT2 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
B3GALT2 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

**Directions for Use** 

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 µl	5 μl
		10 nM	1 μΙ	5 μl

#### Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com