

# **Product Data Sheet**

## FKBP3 siRNA (Mouse)

| Catalog #         | Source   | Reactivity   | Applications                       |                             |  |
|-------------------|--|--|------------------------------------|-----------------------------|--|
| CRM5052           | Synthetic  | М  | RNAi                               |                             |  |
| Description       | siRNA  | to inhibit FKBP3 exp   | ression using RNA interference     |                             |  |
| Specificity       | FKBPS  | FKBP3 siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed to |                                    |                             |  |
|                   | knock  | down gene expression   | on.                                |                             |  |
| Form              | Lyoph  | ilized powder  |                                    |                             |  |
| Gene Symbol FKBP3 |  |  |                                    |                             |  |
| Alternative N     | ames FKBP2   | FKBP25; Peptidyl-prolyl cis-trans isomerase FKBP3; PPIase FKBP3; 25 kDa            |                                    |                             |  |
|                   | FK506  | FK506-binding protein; 25 kDa FKBP; FKBP-25; FK506-binding protein 3; FKBP-3;      |                                    |                             |  |
|                   | Immu   | nophilin FKBP25; Rap   | pamycin-selective 25 kDa immuno    | philin; Rotamase            |  |
| Entrez Gene       | 30795  | 30795 (Mouse)  |                                    |                             |  |
| SwissProt         | Q624   | 46 (Mouse)   |                                    |                             |  |
| Purity            | > 97%  | ,<br>)   |                                    |                             |  |
| Quality Contr     | Quality Control Oligonucleotide synthesis is monitored base by base through trityl analysis to |  |                                    | n trityl analysis to ensure |  |
|                   | appro  | priate coupling effici   | ency. The oligo is subsequently pu | rified by affinity-solid    |  |
|                   | phase  | e extraction. The anne   | ealed RNA duplex is further analyz | ed by mass                  |  |
|                   | spect  | rometry to verify the  | exact composition of the duplex.   | Each lot is compared to     |  |
|                   | the pi   | revious lot by mass sp   | pectrometry to ensure maximum l    | ot-to-lot consistency.      |  |
| Components        | We of  | We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of |                                    |                             |  |
|                   | mous   | e FKBP3 gene. Each v   | ial contains 5 nmol of lyophilized | siRNA. The duplexes can     |  |
|                   | be tra   | insfected individually   | or pooled together to achieve know | ockdown of the target       |  |
|                   | gene,  | which is most comm   | only assessed by qPCR or western   | blot.                       |  |
|                   | Com  | ponent   | 15 nmol                            | 30 nmol                     |  |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



# **Product Data Sheet**

| FKBP3 siRNA (Mouse) - A | 5 nmol x 1   | 5 nmol x 2   |
|-------------------------|--------------|--------------|
| FKBP3 siRNA (Mouse) - B | 5 nmol x 1   | 5 nmol x 2   |
| FKBP3 siRNA (Mouse) - C | 5 nmol x 1   | 5 nmol x 2   |
| Negative Control        | 2.5 nmol x 1 | 2.5 nmol x 2 |
| DEPC Water              | 1 ml x 1     | 1 ml x 2     |

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

| Plate   | Final volume | Final concentration | siRNA (20 μM) | Lipofectamin |
|---------|--------------|---------------------|---------------|--------------|
|         | of medium    | of siRNA            |               | 2000         |
|         |              | 100 nM              | 0.5 μl        | 0.25 μl      |
| 96-well | 100 µl       | 50 nM               | 0.25 μl       | 0.25 μl      |
|         |              | 10 nM               | 0.05 μl       | 0.25 μl      |
|         |              | 100 nM              | 2.5 μl        | 1 µl         |
| 24-well | 500 μl       | 50 nM               | 1.25 μl       | 1 μΙ         |
|         |              | 10 nM               | 0.25 μl       | 1 µl         |
|         |              | 100 nM              | 5 μl          | 2 µl         |
| 12-well | 1 ml         | 50 nM               | 2.5 μl        | 2 μΙ         |
|         |              | 10 nM               | 0.5 μl        | 2 μl         |
|         |              | 100 nM              | 10 µl         | 5 μΙ         |
| 6-well  | 2 ml         | 50 nM               | 5 µl          | 5 μΙ         |
|         |              | 10 nM               | 1 μl          | 5 μΙ         |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



For research purposes only, not for human use

## **Product Data Sheet**

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com