

# **Product Data Sheet**

## **EXOSC9 siRNA (Mouse)**

Catalog #	Source	Reactivity	Applications		
CRM5182	Synthetic	Μ	RNAi		
Description	siR	NA to inhibit EXOSC9	expression using RNA interference		
Specificity	EXC	OSC9 siRNA (Mouse) i	s a target-specific 19-23 nt siRNA oligo duplexes designed to		
	kno	ock down gene expres	sion.		
Form	Lyo	ophilized powder			
Gene Symbol	EXC	EXOSC9			
Alternative Na	ames PM	PMSCL1; Exosome complex component RRP45; Autoantigen PM/Scl 1; Exosome			
	cor	nponent 9; P75 polyn	nyositis-scleroderma overlap syndrome-associated		
	aut	oantigen; Polymyosit	is/scleroderma autoantigen 1; Polymyositis/scleroderma		
	aut	toantigen 75 kDa; PM,	/Scl-75		
Entrez Gene	509	50911 (Mouse)			
SwissProt	Q9.	JHI7 (Mouse)			
Purity	> 9	7%			
Quality Contro	ol Oli	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	арг	propriate coupling effi	ciency. The oligo is subsequently purified by affinity-solid		
	pha	ase extraction. The an	nealed RNA duplex is further analyzed by mass		
	spe	ectrometry to verify th	ne exact composition of the duplex. Each lot is compared to		
	the	e previous lot by mass	spectrometry to ensure maximum lot-to-lot consistency.		
Components	We	e offers pre-designed s	sets of 3 different target-specific siRNA oligo duplexes of		
	mo	use EXOSC9 gene. Ea	ch vial contains 5 nmol of lyophilized siRNA. The duplexes		
	car	) be transfected indivi	dually or pooled together to achieve knockdown of the		
	tar	get gene, which is mo	st commonly assessed by qPCR or western blot.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

Component	15 nmol	30 nmol
EXOSC9 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
EXOSC9 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
EXOSC9 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
		50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com