

# **Product Data Sheet**

### DDX39B siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM5401	Synthetic	Μ	RNAi		
Description	siRNA	to inhibit DDX39B e	xpression using RNA interferen	се	
Specificity	DDX3	9B siRNA (Mouse) is	a target-specific 19-23 nt siRNA	A oligo duplexes designed to	
	knock	down gene expressi	on.		
Form	Lyoph	ilized powder			
Gene Symbol	DDX3	DDX39B			
Alternative N	ames BAT1;	BAT1; BAT1A; UAP56; Spliceosome RNA helicase Ddx39b; 56 kDa U2AF65-associated			
	protei	in; DEAD box protein	UAP56; HLA-B-associated trans	script 1 protein	
Entrez Gene	53817	7 (Mouse)			
SwissProt	Q9Z1I	Q9Z1N5 (Mouse)			
Purity > 97%					
Quality Contr	ality Control Oligonucleotide synthesis is monitored base by base through trityl analysis to e			ugh trityl analysis to ensure	
	appro	priate coupling effici	ency. The oligo is subsequently	v purified by affinity-solid	
	phase	extraction. The ann	ealed RNA duplex is further and	alyzed by mass	
	specti	rometry to verify the	exact composition of the duple	ex. Each lot is compared to	
	the pr	revious lot by mass s	pectrometry to ensure maximu	m lot-to-lot consistency.	
Components	We of	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mous	e DDX39B gene. Eacl	n vial contains 5 nmol of lyophil	ized siRNA. The duplexes	
	can be	e transfected individ	ually or pooled together to achi	ieve knockdown of the	
	target	target gene, which is most commonly assessed by qPCR or western blot.			
	Com	ponent	15 nmol	30 nmol	
	DDX	39B siRNA (Mouse) -	A 5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

DDX39B siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
DDX39B siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

**Directions for Use** 

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
_		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 μl
_		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 μΙ
		10 nM	1 µl	5 μΙ

#### Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com