

# **Product Data Sheet**

## LAMTOR3 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM5886	Synthetic	Μ	RNAi		
Description	siRNA	A to inhibit LAMTOR3	expression using RNA interference		
Specificity	LAM	TOR3 siRNA (Mouse) i	s a target-specific 19-23 nt siRNA oligo duplexes designed		
	to kn	ock down gene expre	ssion.		
Form	Lyopl	hilized powder			
Gene Symbol	LAM	LAMTOR3			
Alternative N	ames MAP	MAP2K1IP1; MAPBP; MAPKSP1; Ragulator complex protein LAMTOR3; Late			
	endo	somal/lysosomal ada	ptor and MAPK and MTOR activator 3; MEK-binding		
	partr	ner 1; Mp1; Mitogen-a	ctivated protein kinase kinase 1-interacting protein 1;		
	Mito	gen-activated protein	kinase sca		
Entrez Gene	5669	56692 (Mouse)			
SwissProt	0886	53 (Mouse)			
Purity	> 97%	6			
Quality Contr	ol Oligo	nucleotide synthesis	s monitored base by base through trityl analysis to ensure		
	appro	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phase	e extraction. The anne	ealed RNA duplex is further analyzed by mass		
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
	the p	revious lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.		
Components	We o	ffers pre-designed se	s of 3 different target-specific siRNA oligo duplexes of		
	mous	se LAMTOR3 gene. Ea	ch vial contains 5 nmol of lyophilized siRNA. The duplexes		
	can b	e transfected individu	ally or pooled together to achieve knockdown of the		
	targe	t gene, which is most	commonly assessed by qPCR or western blot.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

Component	15 nmol	30 nmol
LAMTOR3 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
LAMTOR3 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
LAMTOR3 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μΙ
		100 nM	5 μl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μl
		50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com