

Product Data Sheet

SLC9B1 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications			
CRM9258	Synthetic	М	RNAi			
Description	siRN	A to inhibit SLC9B1 e	pression using RNA interference			
Specificity	SLC9	B1 siRNA (Mouse) is	a target-specific 19-23 nt siRNA oligo duplexes designed to			
	knoc	k down gene express	ion.			
Form	Lyop	hilized powder				
Gene Symbol	SLC9	SLC9B1				
Alternative Na	ames NHE	NHEDC1; Sodium/hydrogen exchanger 9B1; Na(+)/H(+) exchanger-like				
	dom	ain-containing protei	n 1; NHE domain-containing protein 1; Sodium/hydrogen			
	exch	anger-like domain-co	ntaining protein 1; Solute carrier family 9 subfamily B			
	men	nber 1				
Entrez Gene	7444	74446 (Mouse)				
SwissProt	Q8C	0X2 (Mouse)				
Purity	> 97	%				
Quality Contro	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure				
	appr	opriate coupling effic	iency. The oligo is subsequently purified by affinity-solid			
	phas	e extraction. The anr	ealed RNA duplex is further analyzed by mass			
	spec	trometry to verify the	e exact composition of the duplex. Each lot is compared to			
	the p	previous lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.			
Components	Weo	offers pre-designed se	ets of 3 different target-specific siRNA oligo duplexes of			
	mou	se SLC9B1 gene. Each	vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can l	pe transfected individ	ually or pooled together to achieve knockdown of the			
	targe	et gene, which is mos	t commonly assessed by qPCR or western blot.			
			abista de mistra de la marca fluencia de la companya			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
SLC9B1 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
SLC9B1 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
SLC9B1 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
		50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com