

Product Data Sheet

GALNT15 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications			
CRM9960	Synthetic	Μ	RNAi			
Description	siRNA	to inhibit GALNT15	expression using RNA interference			
Specificity	GALN	IT15 siRNA (Mouse) i	s a target-specific 19-23 nt siRNA oligo duplexes designed			
	to kn	ock down gene expre	ession.			
Form	Lyopł	nilized powder				
Gene Symbol	GALN	IT15				
Alternative Na	ames GALN	GALNTL2; Polypeptide N-acetylgalactosaminyltransferase 15; Polypeptide GalNAc				
	trans	ferase-like protein 2;	GalNAc-T-like protein 2; pp-GaNTase-like protein 2;			
	Polyp	eptide N-acetylgalac	tosaminyltransferase-like protein 2; Protein-UDP			
	acety	lgalactosaminyltra				
Entrez Gene	7875	78754 (Mouse)				
SwissProt	Q9D2	2N8 (Mouse)				
Purity	> 97%	6				
Quality Contro	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure				
	appro	priate coupling effic	iency. The oligo is subsequently purified by affinity-solid			
	phase	e extraction. The ann	ealed RNA duplex is further analyzed by mass			
	spect	rometry to verify the	e exact composition of the duplex. Each lot is compared to			
	the p	revious lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We o	ffers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of			
	mous	e GALNT15 gene. Ea	ch vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can b	e transfected individ	ually or pooled together to achieve knockdown of the			
	targe	t gene, which is mos	t commonly assessed by qPCR or western blot.			
A second second second second		An at a war la la tradition of the second				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
GALNT15 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
GALNT15 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
GALNT15 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
o-well	z mi	50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com