

Product Data Sheet

ZC3HAV1 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM9967	Synthetic	Μ	RNAi		
Description	siRN	A to inhibit ZC3HAV1 e	expression using RNA interference		
Specificity	ZC3F	ZC3HAV1 siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed			
	to kn	lock down gene expre	ssion.		
Form	Lyop	Lyophilized powder			
Gene Symbol	ZC3F	ZC3HAV1			
Alternative N	ames Zinc	Zinc finger CCCH-type antiviral protein 1; ADP-ribosyltransferase diphtheria toxin-like			
	13; A	NRTD13			
Entrez Gene	7878	78781 (Mouse)			
SwissProt	Q3U	Q3UPF5 (Mouse)			
Purity	> 979	> 97%			
Quality Contr	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	appr	opriate coupling effici	ency. The oligo is subsequently pu	rified by affinity-solid	
	phas	e extraction. The anne	aled RNA duplex is further analyz	ed by mass	
	spec	trometry to verify the	exact composition of the duplex.	Each lot is compared to	
	the p	previous lot by mass sp	ectrometry to ensure maximum I	ot-to-lot consistency.	
Components We offers pre-designed sets of 3 different target-specific siRNA oligo duples			NA oligo duplexes of		
	mou	se ZC3HAV1 gene. Eac	h vial contains 5 nmol of lyophilize	ed siRNA. The duplexes	
	can b	be transfected individu	ally or pooled together to achieve	e knockdown of the	
	targe	target gene, which is most commonly assessed by qPCR or western blot.			
	Con	nponent	15 nmol	30 nmol	
	ZC3	HAV1 siRNA (Mouse)	A 5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

ZC3HAV1 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
ZC3HAV1 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 µl
_		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 µl
		10 nM	1 µl	5 μΙ

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com