

Product Data Sheet

ABO siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRN0095	Synthetic	Μ	RNAi		
Description	siRNA	to inhibit ABO expres	sion using RNA interference		
Specificity	ABO s	iRNA (Mouse) is a tar	get-specific 19-23 nt siRNA oligo duplexes designed to		
	knock	down gene expressio	n.		
Form	Lyoph	ilized powder			
Gene Symbol	ABO				
Alternative Nan	nes Histo-	Histo-blood group ABO system transferase; Cis-AB transferase; Fucosylglycoprotein			
	3-alph	na-galactosyltransfera	se; Fucosylglycoprotein		
	alpha	-N-acetylgalactosamir	yltransferase; Glycoprotein-fucosylgalactoside		
	alpha	-N-acetylgalactosamir	yltransferase; Glycopro		
Entrez Gene	80908	80908 (Mouse)			
SwissProt	P3864	l9 (Mouse)			
Purity	> 97%				
Quality Control	Oligor	nucleotide synthesis is	monitored base by base through trityl analysis to ensure		
	appro	priate coupling efficie	ncy. The oligo is subsequently purified by affinity-solid		
	phase	extraction. The anne	aled RNA duplex is further analyzed by mass		
	spectr	rometry to verify the e	exact composition of the duplex. Each lot is compared to		
	the pr	evious lot by mass sp	ectrometry to ensure maximum lot-to-lot consistency.		
Components	We of	fers pre-designed sets	s of 3 different target-specific siRNA oligo duplexes of		
	mous	e ABO gene. Each vial	contains 5 nmol of lyophilized siRNA. The duplexes can		
	be tra	nsfected individually	or pooled together to achieve knockdown of the target		
	gene,	which is most commo	only assessed by qPCR or western blot.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
ABO siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
ABO siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
ABO siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 μΙ
		50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com