

Product Data Sheet

EFEMP1 siRNA (Mouse)

| Catalog # | Source | Reactivity | | Applications | | |
|---------------|---|---|--------------------|-----------------------|------------------------|--|
| CRN2043 | Synthetic | Μ | | RNAi | | |
| Description | siRNA | to inhibit EFEMP1 ex | pression using R | NA interference | | |
| Specificity | EFEMI | P1 siRNA (Mouse) is a | a target-specific | 19-23 nt siRNA oligo | o duplexes designed to | |
| | knock | down gene expressio | on. | | | |
| Form | Lyoph | ilized powder | | | | |
| Gene Symbol | EFEMI | P1 | | | | |
| Alternative N | ames FBLN3 | FBLN3; EGF-containing fibulin-like extracellular matrix protein 1; Fibulin-3; FIBL-3 | | | | |
| Entrez Gene | 21661 | .6 (Mouse) | | | | |
| SwissProt | Q8BPI | B5 (Mouse) | | | | |
| Purity | > 97% | , | | | | |
| Quality Contr | ol Oligor | Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure | | | | |
| | appro | priate coupling efficie | ency. The oligo is | s subsequently purif | ied by affinity-solid | |
| | phase | extraction. The anne | aled RNA duple | x is further analyzed | l by mass | |
| | spectr | spectrometry to verify the exact composition of the duplex. Each lot is compared to | | | | |
| | the pr | evious lot by mass sp | ectrometry to e | nsure maximum lot | -to-lot consistency. | |
| Components | We of | We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of | | | | |
| | mouse | e EFEMP1 gene. Each | vial contains 5 r | nmol of lyophilized s | siRNA. The duplexes | |
| | can be | can be transfected individually or pooled together to achieve knockdown of the | | | | |
| | target gene, which is most commonly assessed by qPCR or western blot. | | | stern blot. | | |
| | Com | ponent | 1 | L5 nmol | 30 nmol | |
| | EFEN | IP1 siRNA (Mouse) - | <u>م</u> | 5 nmol x 1 | 5 nmol x 2 | |
| | EFEN | /P1 siRNA (Mouse) - | B 5 | 5 nmol x 1 | 5 nmol x 2 | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



Product Data Sheet

| EFEMP1 siRNA (Mouse) - C | 5 nmol x 1 | 5 nmol x 2 |
|--------------------------|--------------|--------------|
| Negative Control | 2.5 nmol x 1 | 2.5 nmol x 2 |
| DEPC Water | 1 ml x 1 | 1 ml x 2 |

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

| Plate | Final volume | Final concentration | siRNA (20 μM) | Lipofectamin |
|---------|--------------|---------------------|---------------|--------------|
| | of medium | of siRNA | | 2000 |
| | | 100 nM | 0.5 μl | 0.25 μl |
| 96-well | 100 µl | 50 nM | 0.25 μl | 0.25 μl |
| | | 10 nM | 0.05 μl | 0.25 μl |
| | | 100 nM | 2.5 μl | 1 µl |
| 24-well | 500 μl | 50 nM | 1.25 μl | 1 µl |
| | | 10 nM | 0.25 μl | 1 µl |
| | | 100 nM | 5 μl | 2 µl |
| 12-well | 1 ml | 50 nM | 2.5 μl | 2 µl |
| | | 10 nM | 0.5 μl | 2 µl |
| | | 100 nM | 10 µl | 5 µl |
| 6-well | 2 ml | 50 nM | 5 μl | 5 µl |
| | | 10 nM | 1 µl | 5 µl |

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |