

# **Product Data Sheet**

## AWAT2 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications			
CRN3786	Synthetic	Μ	RNAi			
Description	siRNA	to inhibit AWAT2 exq	pression using RNA interference			
Specificity	AWA	AWAT2 siRNA (Mouse) is a target-specific 19-23 nt siRNA oligo duplexes designed to				
	knock	k down gene expressio	on.			
Form	Lyopł	nilized powder				
Gene Symbol	AWA	AWAT2				
Alternative Na	ames DGAT	DGAT2L4; WS; Acyl-CoA wax alcohol acyltransferase 2; Acyl-CoA retinol				
	O-fat	ty-acyltransferase; AR	AT; Retinol O-fatty-acyltransferase; Diacylglycerol			
	O-acy	ltransferase 2-like pro	otein 4; Long-chain-alcohol O-fatty-acyltransferase 2; Wax			
	synth	ase; mWS				
Entrez Gene	2455	245532 (Mouse)				
SwissProt	Q6E1	Q6E1M8 (Mouse)				
Purity	> 97%	6				
Quality Contro	ol Oligo	nucleotide synthesis i	s monitored base by base through trityl analysis to ensure			
	appro	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid			
	phase	e extraction. The anne	ealed RNA duplex is further analyzed by mass			
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to			
	the p	revious lot by mass sp	pectrometry to ensure maximum lot-to-lot consistency.			
Components	We o	ffers pre-designed set	s of 3 different target-specific siRNA oligo duplexes of			
	mous	e AWAT2 gene. Each	vial contains 5 nmol of lyophilized siRNA. The duplexes			
	can b	e transfected individu	ally or pooled together to achieve knockdown of the			
	targe	t gene, which is most	commonly assessed by qPCR or western blot.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

Component	15 nmol	30 nmol
AWAT2 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
AWAT2 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
AWAT2 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6 woll	2 ml	100 nM	10 µl	5 μΙ
6-well	2 ml	50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com