

Product Data Sheet

KLRB1 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRN5342	Synthetic	Μ	RNAi		
Description	siRNA	to inhibit KLRB1 exp	ression using RNA interference		
Specificity	KLRB1	L siRNA (Mouse) is a t	arget-specific 19-23 nt siRNA oligo	o duplexes designed to	
	knock	down gene expression	on.		
Form	Lyoph	ilized powder			
Gene Symbol	KLRB1	KLRB1			
Alternative N	ames GM46	GM4696; KLRB1D; KLRB1G; KLRB6; NKRP1G; Killer cell lectin-like receptor subfamily			
	B mer	mber 1; Killer cell lect	in-like receptor subfamily B memb	per 1G; Natural killer cell	
	surfac	ce protein NKR-P1G; I	Natural killer lectin-like receptor 1	E	
Entrez Gene	10004	100043861 (Mouse)			
SwissProt	Q0ZU	P1 (Mouse)			
Purity	> 97%	,)			
Quality Contr	Control Oligonucleotide synthesis is monitored base by base through trityl analysis to			n trityl analysis to ensure	
	appro	priate coupling effici	ency. The oligo is subsequently pu	rified by affinity-solid	
	phase	e extraction. The anne	ealed RNA duplex is further analyze	ed by mass	
	spect	rometry to verify the	exact composition of the duplex. I	Each lot is compared to	
	the pi	revious lot by mass sp	pectrometry to ensure maximum lo	ot-to-lot consistency.	
Components	We of	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of			
	mous	e KLRB1 gene. Each v	ial contains 5 nmol of lyophilized s	siRNA. The duplexes can	
	be tra	insfected individually	or pooled together to achieve kno	ockdown of the target	
	gene,	which is most comm	only assessed by qPCR or western	blot.	
	Com	ponent	15 nmol	30 nmol	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

KLRB1 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
KLRB1 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
KLRB1 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 µl	5 µl
		10 nM	1 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

Product Data Sheet

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com