

For research purposes only, not for human use

Product Data Sheet

Recombinant Human CD47 Protein

| Catalog # | Source | Reactivity | Applications | | | |
|----------------|--------------------------|--|--|--|--|--|
| CRP1238 | Human cells | Human | E, WB, SDS-PAGE, MS | | | |
| Description | Recor | nbinant Human CD4 | 7 Protein is produced by our mammalian expression | | | |
| | syster | n and the target gen | e encoding Gln19-Pro139 is expressed with a 6His tag at | | | |
| | the C | -terminus. | | | | |
| Form | Lyoph | ilized from a 0.2 μM | filtered solution of 10mM Tris-Citrate, 150mM NaCl, pH | | | |
| | 8.0. | | | | | |
| Gene Symbol | CD47 | CD47 | | | | |
| Alternative N | ames MER6 | MER6; Leukocyte surface antigen CD47; Antigenic surface determinant protein OA3; | | | | |
| | Integ | rin-associated protei | n; IAP; Protein MER6; CD47 | | | |
| Entrez Gene | 961 (I | Human) | | | | |
| SwissProt | Q087 | Q08722 (Human) | | | | |
| Purity | Great | er than 95% as deter | mined by reducing SDS-PAGE. | | | |
| Chemical Stru | ucture QLLFN | QLLFNKTKSV EFTFCNDTVV IPCFVTNMEA QNTTEVYVKW KFKGRDIYTF DGALNKSTVP | | | | |
| | TDFSS | SAKIEV SQLLKGDASL | KMDKSDAVSH TGNYTCEVTE LTREGETIIE LKYRVVSWFS | | | |
| | PVDH | ннннн | | | | |
| Quality Contr | ol Endot | toxin: Less than 0.1 n | g/μg (1 IEU/μg) as determined by LAL test. | | | |
| Directions for | r <mark>Use</mark> Alway | Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not | | | | |
| | recon | nmended to reconsti | tute to a concentration less than 100 μ g/ml. Dissolve the | | | |
| | lyoph | ilized protein in 1X P | BS. Please aliquot the reconstituted solution to minimize | | | |
| | freeze | e-thaw cycles. | | | | |
| Storage/Stab | ility Lyoph | ilized protein should | be stored at -20°C, though stable at room temperature | | | |
| | for 3 | weeks. Reconstituted | l protein solution can be stored at 2-8°C for 2-7 days. | | | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



For research purposes only, not for human use

Product Data Sheet

Aliquots of reconstituted samples are stable at -20°C for 3 months.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com