

Recombinant Human FGF17 Protein

Catalog #	Source	Reactivity	Applications
CRP1546	E. coli	Human	E, WB, SDS-PAGE, MS
Description	Recombinant Human FGF17 Protein is produced by our E. coli expression system and the target gene encoding Thr23-Thr216 is expressed.		
Form	Lyophilized from a 0.2 μM filtered solution of 20mM PB, 150mM NaCl, pH 7.4.		
Gene Symbol	FGF17		
Alternative Names	Fibroblast growth factor 17; FGF-17		
Entrez Gene	8822 (Human)		
SwissProt	O60258 (Human)		
Purity	Greater than 95% as determined by reducing SDS-PAGE.		
Chemical Structure	MTQGENHPSP NFNQYVRDQG AMTDQLSRRQ IREYQLYSRT SGKHVQVTGR RISATAEDGN KFAKLIVETD TFGSRVRIKG AESEKYICMN KRGKLGKPS GKSKDCVFTE IVLENNYTAF QNARHEGWFM AFTRQGRPRQ ASRSRQNQRE AHFIKRLYQG QLPPFNHAEK QKQFEFVGSA PTRRTKRTRR PQPLT		
Quality Control	Endotoxin: Less than 0.1 ng/μg (1 IEU/μg) as determined by LAL test.		
Directions for Use	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μg/ml. Dissolve the lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.		
Storage/Stability	Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, CHIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB
www.cohesionbio.com

ORDER
order@cohesionbio.com

SUPPORT
techsupport@cohesionbio.com

CUSTOM
custom@cohesionbio.com