

Recombinant Human IFNG Protein

Catalog #	Source	Reactivity	Applications
CRP1712	Human cells	Human	E, WB, SDS-PAGE, MS
Description	Recombinant Human IFNG Protein is produced by our mammalian expression system and the target gene encoding Gln24-Gln166 is expressed.		
Form	Lyophilized from a 0.2 µM filtered solution of 20mM PB, 150mM NaCl, pH 7.0.		
Gene Symbol	IFNG		
Alternative Names	Interferon gamma; IFN-gamma; Immune interferon		
Entrez Gene	3458 (Human)		
SwissProt	P01579 (Human)		
Purity	Greater than 95% as determined by reducing SDS-PAGE.		
Chemical Structure	QDPYVKEAEN LKKYFNAGHS DVADNGTLFL GILKNWKEES DRKIMQSQIV SFYFKLFKNF KDDQSIQKSV ETIKEDMNVK FFNSNKKKRD DFEKLTNYSV TDLNVQRKAI HELIQVMAEL SPAAKTGKRK RSQMLFRGRR ASQ		
Quality Control	Endotoxin: Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.		
Directions for Use	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.		
Storage/Stability	Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB
www.cohesionbio.com

ORDER
order@cohesionbio.com

SUPPORT
techsupport@cohesionbio.com

CUSTOM
custom@cohesionbio.com