

For research purposes only, not for human use

# **Product Data Sheet**

### **Recombinant Human REG3G Protein**

| Catalog #      | Source            | Reactivity                  | Applications   |
|----------------|-------------------|-----------------------------|--|
| CRP2204        | Human cell        | s Human                     | E, WB, SDS-PAGE, MS  |
| Description    | Reco              | ombinant Human REG          | G Protein is produced by our mammalian expression              |
|                | syste             | em and the target gen       | e encoding Glu27-Asp175 is expressed with a 6His tag at        |
|                | the               | C-terminus.                 |  |
| Form           | Lyop              | ohilized from a 0.2 $\mu$ M | filtered solution of 20mM PB, 150mM NaCl, pH 7.4.              |
| Gene Symbol    | REG               | 3G                          |  |
| Alternative N  | ames PAP          | 1B; Regenerating islet-     | derived protein 3-gamma; REG-3-gamma;                          |
|                | Pan               | creatitis-associated pro    | otein 1B; PAP-1B; Pancreatitis-associated protein IB; PAP      |
|                | IB; F             | Regenerating islet-deriv    | ed protein III-gamma; REG III; Reg III-gamma                   |
| Entrez Gene    | 130               | 120 (Human)                 |  |
| SwissProt      | Q6L               | JW15 (Human)                |  |
| Purity         | Grea              | ater than 95% as deter      | mined by reducing SDS-PAGE.                                    |
| Chemical Stru  | ucture EET(       | QKELPSP RISCPKGSKA          | GSPCYALFL SPKSWMDADL ACQKRPSGKL VSVLSGAEGS                     |
|                | FVS               | SLVRSIS NSYSYIWIGL H        | DPTQGSEPD GDGWEWSSTD VMNYFAWEKN PSTILNPGHC                     |
|                | GSL               | SRSTGFL KWKDYNCDAI          | < LPYVCKFKDV DHHHHHH   |
| Quality Contr  | ol End            | otoxin: Less than 0.1 n     | g/μg (1 IEU/μg) as determined by LAL test.                     |
| Directions for | r Use Alwa        | ays centrifuge tubes be     | efore opening. Do not mix by vortex or pipetting. It is not    |
|                | reco              | mmended to reconstil        | cute to a concentration less than 100 $\mu$ g/ml. Dissolve the |
|                | lyop              | hilized protein in 1X Pl    | 3S. Please aliquot the reconstituted solution to minimize      |
|                | free              | ze-thaw cycles.             |  |
| Storage/Stab   | <b>ility</b> Lyop | ohilized protein should     | be stored at -20°C, though stable at room temperature          |
|                | for 3             | 3 weeks. Reconstituted      | protein solution can be stored at 2-8°C for 2-7 days.          |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



For research purposes only, not for human use

# **Product Data Sheet**

Aliquots of reconstituted samples are stable at -20°C for 3 months.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com