

Recombinant Human CD157 Protein

Catalog #	Source	Reactivity	Applications
CRP2607	Human cells	Human	E, WB, SDS-PAGE, MS
Description	Recombinant Human CD157 Protein is produced by mammalian expression system and the target gene encoding Gly29-Lys292 is expressed with a 6His at the C-terminus.		
Form	Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.		
Gene Symbol	BST1		
Alternative Names	ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 2; ADP-ribosyl cyclase 2; Bone marrow stromal antigen 1; BST-1; Cyclic ADP-ribose hydrolase 2; cADPr hydrolase 2; CD157		
Entrez Gene	683 (Human)		
SwissProt	Q10588 (Human)		
Purity	Greater than 95% as determined by reducing SDS-PAGE.		
Chemical Structure	GARARWRGEG TSAHLRDIFL GRCAEYRALL SPEQRNKNCT AIWEAFKVAL DKDPCSVLPS DYDLFINLSR HSIPRDKSLF WENSHLLVNS FADNTRRFMP LSDVLYGRVA DFLSWCRQKN DSGLDYQSCP TSEDCENNPV DSWKRSIQ YSKDSSGVIH VMLNGSEPTG AYPIKGFAD YEIPNLQKEK ITRIEIWVMH EIGGPNVESC GEGSMKVLEK RLKDMGFQYS CINDYRPVKL LQCVDHSTHP DCALKSAAAA TQRKHHHHHH		
Quality Control	Endotoxin: Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.		
Directions for Use	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH ₂ O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB
www.cohesionbio.com

ORDER
order@cohesionbio.com

SUPPORT
techsupport@cohesionbio.com

CUSTOM
custom@cohesionbio.com

Product Data Sheet

Storage/Stability

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, CHIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB

www.cohesionbio.com

ORDER

order@cohesionbio.com

SUPPORT

techsupport@cohesionbio.com

CUSTOM

custom@cohesionbio.com