

# **Product Data Sheet**

## PDGFA siRNA (Rat)

Catalog #	Source	Reactivity	Applications		
CRR0534	Synthetic	R	RNAi		
Description	siRNA	to inhibit PDGFA exp	ression using RNA interference		
Specificity	PDGF	A siRNA (Rat) is a targ	et-specific 19-23 nt siRNA oligo	duplexes designed to	
	knock	down gene expression	on.		
Form	Lyoph	ilized powder			
Gene Symbol	PDGF	A			
Alternative Na	ames RPA1;	RPA1; Platelet-derived growth factor subunit A; PDGF subunit A; PDGF-1;			
	Platel	et-derived growth fac	tor A chain; Platelet-derived gro	wth factor alpha	
	polyp	eptide			
Entrez Gene	25266	5 (Rat)			
SwissProt	P2857	P28576 (Rat)			
Purity	> 97%	,			
Quality Control	ol Oligor	nucleotide synthesis i	s monitored base by base throu	gh trityl analysis to ensure	
	appro	priate coupling efficie	ency. The oligo is subsequently p	ourified by affinity-solid	
	phase	e extraction. The anne	aled RNA duplex is further analy	vzed by mass	
	spect	rometry to verify the	exact composition of the duplex	. Each lot is compared to	
	the pi	revious lot by mass sp	ectrometry to ensure maximum	lot-to-lot consistency.	
Components We offers pre-designed sets of 3 different target-specif			s of 3 different target-specific sil	RNA oligo duplexes of rat	
	PDGF	A gene. Each vial cont	ains 5 nmol of lyophilized siRNA	. The duplexes can be	
	transf	fected individually or	pooled together to achieve knoc	kdown of the target	
	gene,	which is most comm	only assessed by qPCR or wester	n blot.	
	Com	ponent	15 nmol	30 nmol	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



# **Product Data Sheet**

PDGFA siRNA (Rat) - A	5 nmol x 1	5 nmol x 2
PDGFA siRNA (Rat) - B	5 nmol x 1	5 nmol x 2
PDGFA siRNA (Rat) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

#### **Directions for Use**

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250  $\mu$ l of DEPC water to get a final concentration of 20  $\mu$ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 μΙ
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 µl	5 µl
		10 nM	1 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

## **Product Data Sheet**

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com