

Product Data Sheet

GRK1 siRNA (Rat)

Catalog #	Source	Reactivity	Applications		
CRR2347	Synthetic	R	RNAi		
Description	siRN	siRNA to inhibit GRK1 expression using RNA interference			
Specificity	GRK	GRK1 siRNA (Rat) is a target-specific 19-23 nt siRNA oligo duplexes designed to			
	knoc	k down gene expressio	on.		
Form	Lyop	hilized powder			
Gene Symbo	GRK:	GRK1			
Alternative N	lames RHO	RHOK; Rhodopsin kinase; RK; G protein-coupled receptor kinase 1			
Entrez Gene	8176	81760 (Rat)			
SwissProt	Q636	Q63651 (Rat)			
Purity	> 979	> 97%			
Quality Cont	rol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	appr	appropriate coupling efficiency. The oligo is subsequently purified by affinity-solid			
	phas	phase extraction. The annealed RNA duplex is further analyzed by mass			
	spec	spectrometry to verify the exact composition of the duplex. Each lot is compared to			
	the p	previous lot by mass sp	ectrometry to ensure maximum	lot-to-lot consistency.	
Components	We c	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of rat			
	GRK	GRK1 gene. Each vial contains 5 nmol of lyophilized siRNA. The duplexes can be			
	trans	transfected individually or pooled together to achieve knockdown of the target			
	gene	gene, which is most commonly assessed by qPCR or western blot.			
	Con	nponent	15 nmol	30 nmol	
	GR	<1 siRNA (Rat) - A	5 nmol x 1	5 nmol x 2	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

5 nmol x 1

5 nmol x 2

GRK1 siRNA (Rat) - B

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

GRK1 siRNA (Rat) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 µl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 µl
		10 nM	0.25 μl	1 µl
		100 nM	5 μl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 µl
		10 nM	0.5 μl	2 µl
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 μl	5 µl
		10 nM	1 µl	5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com