

Product Data Sheet

ECI2 siRNA (Rat)

Catalog #	Source	Reactivity	Applications		
CRR4136	Synthetic	R	RNAi		
Description	siRN	A to inhibit ECI2 expre	ssion using RNA interference		
Specificity	ECI2	siRNA (Rat) is a target	-specific 19-23 nt siRNA oligo dupl	exes designed to knock	
	dowr	n gene expression.			
Form	Lyop	hilized powder			
Gene Symbol	ECI2				
Alternative N	ames PECI;	PECI; Enoyl-CoA delta isomerase 2 mitochondrial; Delta(3).delta(2)-enoyl-CoA			
	isom	erase; D3.D2-enoyl-Co	oA isomerase; Dodecenoyl-CoA iso	merase; Peroxisomal	
	3.2-t	rans-enoyl-CoA isome	rase; pECI		
Entrez Gene	2910	075 (Rat)			
SwissProt	Q5XI	Q5XIC0 (Rat)			
Purity	> 979	%			
Quality Contr	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	appr	opriate coupling effici	ency. The oligo is subsequently pu	rified by affinity-solid	
	phas	e extraction. The anne	ealed RNA duplex is further analyze	ed by mass	
	spect	trometry to verify the	exact composition of the duplex. I	Each lot is compared to	
	the p	previous lot by mass sp	pectrometry to ensure maximum lo	ot-to-lot consistency.	
Components	We c	We offers pre-designed sets of 3 different target-specific siRNA oligo duplexes of rat			
	ECI2	gene. Each vial contai	ns 5 nmol of lyophilized siRNA. The	e duplexes can be	
	trans	fected individually or	pooled together to achieve knock	down of the target	
	gene	, which is most comm	only assessed by qPCR or western	blot.	
	Con	nponent	15 nmol	30 nmol	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

ECI2 siRNA (Rat) - A	5 nmol x 1	5 nmol x 2
ECI2 siRNA (Rat) - B	5 nmol x 1	5 nmol x 2
ECI2 siRNA (Rat) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 μΙ
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
		100 nM	10 µl	5 µl
6-well	2 ml	50 nM	5 µl	5 μl
		10 nM	1 μΙ	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

Product Data Sheet

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com