

Product Data Sheet

KCNMB2 siRNA (Rat)

Catalog #	Source	Reactivity	Applications		
CRR4381	Synthetic	R	RNAi		
Description	siRNA	to inhibit KCNMB2 e	expression using RNA interference		
Specificity	KCNIV	1B2 siRNA (Rat) is a t	arget-specific 19-23 nt siRNA oligo duplexes designed to		
	knock	down gene expressi	on.		
Form	Lyoph	ilized powder			
Gene Symbol	KCNIV	1B2			
Alternative Na	imes Calciu	Calcium-activated potassium channel subunit beta-2; BK channel subunit beta-2;			
	BKbet	a2; Calcium-activate	d potassium channel. subfamily M subunit beta-2;		
	Chary	bdotoxin receptor su	ıbunit beta-2; K(VCA)beta-2; Maxi K channel subunit		
	beta-2	2; Rbeta3; Slo-beta-2			
Entrez Gene	29496	294961 (Rat)			
SwissProt	Q811	Q0 (Rat)			
Purity	> 97%	,)			
Quality Contro	ol Oligor	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	appro	priate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phase	extraction. The ann	ealed RNA duplex is further analyzed by mass		
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
	the pr	revious lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.		
Components	We of	fers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of rat		
	KCNIV	1B2 gene. Each vial co	ontains 5 nmol of lyophilized siRNA. The duplexes can be		
	transf	ected individually or	pooled together to achieve knockdown of the target		
	gene,	which is most comm	only assessed by qPCR or western blot.		
A secold sector and the second		A stand blat III based on			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
KCNMB2 siRNA (Rat) - A	5 nmol x 1	5 nmol x 2
KCNMB2 siRNA (Rat) - B	5 nmol x 1	5 nmol x 2
KCNMB2 siRNA (Rat) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 μM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μΙ
		10 nM	0.25 μl	1 μl
		100 nM	5 µl	2 μΙ
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
		50 nM	5 µl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com