

Product Data Sheet

DDIT3 siRNA (Mouse)

Catalog #	Source	Reactivity	Applications		
CRM0996	Synthetic	Μ	RNAi		
Description	siRNA	A to inhibit DDIT3 exp	ression using RNA interference		
Specificity	DDIT	3 siRNA (Mouse) is a	target-specific 19-23 nt siRNA oligo duplexes designed to		
	knocl	k down gene expressi	on.		
Form	Lyopl	nilized powder			
Gene Symbol	DDIT	3			
Alternative Na	ames CHOF	CHOP; CHOP10; GADD153; DNA damage-inducible transcript 3 protein; DDIT-3;			
	C/EB	P zeta; C/EBP-homolo	gous protein; CHOP; C/EBP-homologous protein 10;		
	CHO	P-10; CCAAT/enhance	r-binding protein homologous protein; Growth arrest and		
	DNA-	damage-inducible pr	otein G		
Entrez Gene	1319	8 (Mouse)			
SwissProt	P356	39 (Mouse)			
Purity	> 97%	6			
Quality Contro	ol Oligo	Oligonucleotide synthesis is monitored base by base through trityl analysis to ensure			
	appro	opriate coupling effici	ency. The oligo is subsequently purified by affinity-solid		
	phase	e extraction. The ann	ealed RNA duplex is further analyzed by mass		
	spect	rometry to verify the	exact composition of the duplex. Each lot is compared to		
	the p	revious lot by mass s	pectrometry to ensure maximum lot-to-lot consistency.		
Components	We o	ffers pre-designed se	ts of 3 different target-specific siRNA oligo duplexes of		
	mous	se DDIT3 gene. Each v	ial contains 5 nmol of lyophilized siRNA. The duplexes can		
	be tra	ansfected individually	or pooled together to achieve knockdown of the target		
	gene	, which is most comm	only assessed by qPCR or western blot.		
A secold sectors of		Veeters leter 111 to	- Historic Constant In the second floor second s		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

Component	15 nmol	30 nmol
DDIT3 siRNA (Mouse) - A	5 nmol x 1	5 nmol x 2
DDIT3 siRNA (Mouse) - B	5 nmol x 1	5 nmol x 2
DDIT3 siRNA (Mouse) - C	5 nmol x 1	5 nmol x 2
Negative Control	2.5 nmol x 1	2.5 nmol x 2
DEPC Water	1 ml x 1	1 ml x 2

Directions for Use

We recommends transfection with 10 nM - 100 nM siRNA 48 to 72 hours prior to cell lysis. Before resuspending, briefly centrifuge the tube to ensure the lyophilized siRNA is at the bottom of the tube. Resuspend the siRNA oligos to an appropriate concentration with DEPC water. For example, resuspend one tube of 5 nmol siRNA oligo in 250 μ l of DEPC water to get a final concentration of 20 μ M.

Plate	Final volume	Final concentration	siRNA (20 µM)	Lipofectamin
	of medium	of siRNA		2000
		100 nM	0.5 μl	0.25 μl
96-well	100 μl	50 nM	0.25 μl	0.25 μl
		10 nM	0.05 μl	0.25 μl
		100 nM	2.5 μl	1 µl
24-well	500 μl	50 nM	1.25 μl	1 μl
		10 nM	0.25 μl	1 µl
		100 nM	5 µl	2 µl
12-well	1 ml	50 nM	2.5 μl	2 μΙ
		10 nM	0.5 μl	2 μΙ
6-well	2 ml	100 nM	10 µl	5 µl
		50 nM	5 μl	5 μΙ

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

10 nM

1 µl

5 µl

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com